

To: ete4mjh@wi.rr.com[ete4mjh@wi.rr.com];
 SSwosinski@masdinc.com[SSwosinski@masdinc.com];
 mfurgason@masdinc.com[mfurgason@masdinc.com]; WDNR - Mike Griffin (SER Air -
 Milw)[Mike.Griffin@Wisconsin.gov]; tom.zelinski@wisconsin.gov[tom.zelinski@wisconsin.gov]; Owens,
 Katharine[Owens.Katharine@epa.gov]
Cc: Litscher, Amy (Saga Environmental)[alitscher@saga-ee.com]
From: Prentice, Dakota
Sent: Fri 5/16/2014 6:57:27 PM
Subject: RE: Test Notification to EPA for Mid-America Steel Drum

Mike,
 Per our conversation earlier today:

1. In the final report, provide documentation showing that no gas from the afterburner was diverted to the boiler(s) during the test runs.
2. Do not conduct testing for PM10.

Please let me know if you have any additional questions or concerns.

Thanks,
 Dakota

Dakota Prentice
 Environmental Engineer
 U.S. EPA Region 5
 77 W. Jackson Blvd. (AE-17J)
 Chicago, IL 60604-3590
 phone: (312) 886-6761
 fax: (312) 385-5415

-----Original Message-----

From: ete4mjh@wi.rr.com [mailto:ete4mjh@wi.rr.com]
 Sent: Thursday, May 08, 2014 2:06 PM
 To: SSwosinski@masdinc.com; mfurgason@masdinc.com; WDNR - Mike Griffin (SER Air - Milw);
 tom.zelinski@wisconsin.gov
 Cc: Litscher, Amy (Saga Environmental); Prentice, Dakota
 Subject: Test Notification to EPA for Mid-America Steel Drum

Attached is the test notification for the Mid-America Steel Drum - Oak Creek facility that was sent (overnight, requiring signature) to the Region 5 EPA office this afternoon. This testing was requested by the EPA, not the Wisconsin DNR, in a letter of "Request to Provide Information Pursuant to the Clean Air Act" (dated 3/5/14). If you have any questions regarding the attached letter and associated sketches, please feel free to contact me.

Michael (Mike) Huenink
 Environmental Technology
 & Engineering Corp
 13000 W. Bluemound Road
 Elm Grove, WI 53122

Office: 262-784-2434
 Cell: 262-424-8888

--

The information contained in this communication may be confidential, is intended only for the use of the recipient(s) named above, and may be legally privileged. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication, or any of its contents, is strictly prohibited. If you have received this communication in error, please return it to the sender immediately and delete the original message and any copy of it from your computer system. If you have any questions concerning this message, please contact the sender.